B.   AMENDMENTS TO THE CLAIMS

1.   (Original) A computer implemented method of providing
      caller information, said method comprising:
      receiving a message corresponding to a telephone call,
      wherein the message includes an initiating caller number
      and a call recipient number, the telephone call received
      over a telephone network;

      retrieving one more caller attributes based upon the
      initiating caller number; and

      sending the caller attributes to a call recipient over a
      computer network, the call recipient corresponding to the
      call recipient number.

2.   (Original) The method of claim 1 further comprising:
      sending a request that includes one or more requested
      caller fields, the requested caller fields corresponding to
      the initiating caller number.

3.   (Original) The method of claim 2 further comprising:
      retrieving a call recipient agreement corresponding to the
      call recipient number;

      selecting the requested caller fields included in the call
      recipient agreement; and

      including the requested caller fields in the request.

4.   (Original) The method of claim 2 wherein the request is
      received by a service control point, and wherein the
      service control point is adapted to retrieve the caller

attributes from a line information database and send the
retrieved caller attributes back to the requestor.

5. (Original) The method of claim 1 further comprising:
    receiving an authorization request from an initiating
    caller prior to receiving the message, wherein the
    authorization request includes authorizations that identify
    one or more call recipients and caller data that are
    authorized to be sent to the identified call recipients,
    the initiating caller corresponding to the initiating
    caller number; and

    storing the authorizations in an authorization table entry.

6. (Original) The method of claim 5 further comprising:
    identifying one or more requested caller fields
    corresponding to the initiating caller number;

    detecting whether one of the requested caller fields
    corresponds to sensitive caller data, the sensitive caller
    data corresponding to the initiating caller number;

    checking one or more authorization table entries
    corresponding to the initiating caller number in response
    to the detecting;

    determining whether the call recipient is authorized to
    receive the sensitive caller data in response to the
    checking;

    including one or more of the requested caller fields in a
    request in response to the determination; and

    sending the request to a service control point.

7.   (Original) The method of claim 6 further comprising: logging a caller data discrepancy in response to the determining, the caller data discrepancy including the requested caller fields corresponding to the sensitive caller data.

8.   (Original) The method of claim 5 wherein the authorization request includes a PIN, the method further comprising: retrieving a stored PIN; and

comparing the received PIN with the stored PIN wherein the receiving of authorizations is performed in response to successful comparison.

9.   (Original) The method as described in claim 5 wherein at least one of the authorizations is selected from the group consisting of a birth date, billing information, and a social security number.

10. (Original) The method of claim 1 further comprising: determining that a call recipient agreement does not exist corresponding to the call recipient;

retrieving a counter corresponding to the call recipient;

incrementing the counter; and

storing the incremented counter.

11. (Original) The method of claim 1 further comprising: sending the telephone call to the call recipient over the telephone network.

12. (Original) The method of claim 1 wherein the computer
     network is a TCP/IP network.

13. (Original) The method of claim 12 wherein the TCP/IP
     network includes the Internet.

14. (Original) The method of claim 1 wherein the caller
     attributes are selected from the group consisting of a
     name, an address, billing information, service preferences,
     a birth date, and a social security number.

15. (Original) An information handling system comprising:
     one or more processors;

     a memory accessible by the processors;

     one or more nonvolatile storage devices accessible by the
     processors;

     a telephone network;

     a computer network; and

     a caller information tool for providing caller information,
     the caller information tool comprising software code
     effective to:

          receive a message corresponding to a telephone
          call, wherein the message includes an initiating
          caller number and a call recipient number, the
          telephone call received over the telephone
          network;

          retrieve one more caller attributes from one of
          the nonvolatile storage devices based upon the
          initiating caller number; and

send the caller attributes to a call recipient
over the computer network, the call recipient
corresponding to the call recipient number.

16. (Original) The information handling system of claim 15
     wherein the software code is further effective to:
     send a request that includes one or more requested caller
     fields, the requested caller fields corresponding to the
     initiating caller number.

17. (Original) The information handling system of claim 16
     wherein the software code is further effective to:
     retrieve a call recipient agreement corresponding to the
     call recipient number from one of the nonvolatile storage
     devices;

     select the requested caller fields included in the call
     recipient agreement; and

     include the requested caller fields in the request.

18. (Original) The information handling system of claim 16
     wherein the request is received by a service control point,
     and wherein the service control point is adapted to
     retrieve the caller attributes from a line information
     database and send the retrieved caller attributes back to
     the requestor.

19. (Original) The information handling system of claim 15
     wherein the software code is further effective to:
     receive an authorization request from an initiating caller
     prior to receiving the message, wherein the authorization
     request includes authorizations that identify one or more

PATENT

call recipients and caller data that are authorized to be sent to the identified call recipients, the initiating caller corresponding to the initiating caller number; and

store the authorizations in an authorization table entry located in one of the nonvolatile storage devices.

20. (Original) The information handling system of claim 19 wherein the software code is further effective to: identify one or more requested caller fields corresponding to the initiating caller number;

detect whether one of the requested caller fields corresponds to sensitive caller data, the sensitive caller data corresponding to the initiating caller number;

check one or more authorization table entries located in one of the nonvolatile storage devices corresponding to the initiating caller number in response to the detecting;

determine whether the call recipient is authorized to receive the sensitive caller data in response to the checking;

include one or more of the requested caller fields in a request in response to the determination; and

send the request to a service control point.

21. (Original) The information handling system of claim 20 wherein the software code is further effective to: log a caller data discrepancy in one of the nonvolatile storage devices in response to the determining, the caller data discrepancy including the requested caller fields corresponding to the sensitive caller data.

22. (Original) The information handling system of claim 19
     wherein the authorization request includes a PIN, and
     wherein the software code is further effective to:
     retrieve a stored PIN from one of the nonvolatile storage
     devices; and

     compare the received PIN with the stored PIN wherein the
     receiving of authorizations is performed in response to
     successful comparison.

23. (Original) The information handling system as described in
     claim 19 wherein at least one of the authorizations is
     selected from the group consisting of a birth date, billing
     information, and a social security number.

24. (Original) The information handling system of claim 15
     wherein the software code is further effective to:
     determine that a call recipient agreement does not exist
     corresponding to the call recipient;

     retrieve a counter corresponding to the call recipient from
     one of the nonvolatile storage devices;

     increment the counter; and

     store the incremented counter in one of the nonvolatile
     storage devices.

25. (Original) The information handling system of claim 15
     wherein the software code is further effective to:
     send the telephone call to the call recipient over the
     telephone network.

26. (Original) The information handling system of claim 15
    wherein the computer network is a TCP/IP network.

27. (Original) The information handling system of claim 12
    wherein the TCP/IP network includes the Internet.

28. (Original) The information handling system of claim 15
    wherein the caller attributes are selected from the group
    consisting of a name, an address, billing information,
    service preferences, a birth date, and a social security
    number.

29. (Original) A computer program product stored on a computer
    operable media for providing caller information, said
    computer program product comprising software code effective
    to:
    receive a message corresponding to a telephone call,
    wherein the message includes an initiating caller number
    and a call recipient number, the telephone call received
    over a telephone network;

    retrieve one more caller attributes based upon the
    initiating caller number; and

    send the caller attributes to a call recipient over a
    computer network, the call recipient corresponding to the
    call recipient number.

30. (Original) The computer program product of claim 29
    wherein the software code is further effective to:
    send a request that includes one or more requested caller
    fields, the requested caller fields corresponding to the
    initiating caller number.

31. (Original) The computer program product of claim 30
    wherein the software code is further effective to:
    retrieve a call recipient agreement corresponding to the
    call recipient number;

    select the requested caller fields included in the call
    recipient agreement; and

    include the requested caller fields in the request.

32. (Original) The computer program product of claim 30
    wherein the request is received by a service control point,
    and wherein the service control point is adapted to
    retrieve the caller attributes from a line information
    database and send the retrieved caller attributes back to
    the requestor.

33. (Original) The computer program product of claim 29
    wherein the software code is further effective to:
    receive an authorization request from an initiating caller
    prior to receiving the message, wherein the authorization
    request includes authorizations that identify one or more
    call recipients and caller data that are authorized to be
    sent to the identified call recipients, the initiating
    caller corresponding to the initiating caller number; and

    store the authorizations in an authorization table entry.

34. (Original) The computer program product of claim 33
    wherein the software code is further effective to:
    identify one or more requested caller fields corresponding
    to the initiating caller number;

Docket No. AUS920030865US1   Page 10 of 17   Atty Ref. No. 3038
                          Creamer, et. al. - 10/763,082

PATENT

detect whether one of the requested caller fields
corresponds to sensitive caller data, the sensitive caller
data corresponding to the initiating caller number;

check one or more authorization table entries corresponding
to the initiating caller number in response to the
detecting;

determine whether the call recipient is authorized to
receive the sensitive caller data in response to the
checking;

include one or more of the requested caller fields in a
request in response to the determination; and

send the request to a service control point.

35.   (Original) The computer program product of claim 34
wherein the software code is further effective to:
log a caller data discrepancy in response to the
determining, the caller data discrepancy including the
requested caller fields corresponding to the sensitive
caller data.

36.   (Original) The computer program product of claim 33
wherein the authorization request includes a PIN, and
wherein the software code is further effective to:
retrieve a stored PIN; and

compare the received PIN with the stored PIN wherein the
receiving of authorizations is performed in response to
successful comparison.

Docket No. AUS920030865US1   Page 11 of 17   Atty Ref. No. 3038
Creamer, et. al. - 10/763,082

37.   (Original) The computer program product as described in claim 33 wherein at least one of the authorizations is selected from the group consisting of a birth date, billing information, and a social security number.

38.   (Original) The computer program product of claim 29 wherein the software code is further effective to: determine that a call recipient agreement does not exist corresponding to the call recipient;

retrieve a counter corresponding to the call recipient;

increment the counter; and

store the incremented counter.

39.   (Original) The computer program product of claim 29 wherein the software code is further effective to: send the telephone call to the call recipient over the telephone network.

40.   (Original) The computer program product of claim 29 wherein the computer network is a TCP/IP network.

41.   (Original) The computer program product of claim 40 wherein the TCP/IP network includes the Internet.

42.   (Original) The computer program product of claim 29 wherein the caller attributes are selected from the group consisting of a name, an address, billing information, service preferences, a birth date, and a social security number.

43. (Original) A computer implemented method of providing
     caller information, said method comprising:
     receiving a message corresponding to a telephone call,
     wherein the message includes an initiating caller number
     and a call recipient number, the telephone call received
     over a telephone network;

     retrieving the name of the initiating caller and one or
     more additional caller attributes corresponding to the
     initiating caller; and

     sending the additional caller attributes to a call
     recipient over the telephone network, the call recipient
     corresponding to the call recipient number.

44. (Original) The method of claim 43 wherein at least one of
     the additional caller attributes is selected from the group
     consisting of an address, billing information, service
     preferences, a birth date, and a social security number.

45. (Original) The method of claim 43 wherein the call
     recipient is adapted to display one or more of the
     additional caller attributes on a display.

46. (Original) An information handling system comprising:
     one or more processors;

     a memory accessible by the processors;

     one or more nonvolatile storage devices accessible by the
     processors;

     a telephone network; and

a caller information tool for providing caller information,
the caller information tool comprising software code
effective to:

> receive a message corresponding to a telephone
> call, wherein the message includes an initiating
> caller number and a call recipient number, the
> telephone call received over the telephone
> network;

> retrieve the name of the initiating caller and
> one or more additional caller attributes
> corresponding to the initiating caller from one
> of the nonvolatile storage devices; and

> send the additional caller attributes to a call
> recipient over the telephone network, the call
> recipient corresponding to the call recipient
> number.

47.   (Original) The information handling system of claim 46
      wherein at least one of the additional caller attributes is
      selected from the group consisting of an address, billing
      information, service preferences, a birth date, and a
      social security number.

48.   (Original) The information handling system of claim 46
      wherein the call recipient is adapted to display one or
      more of the additional caller attributes on a display.

49.   (Original) A computer program product stored on a computer
      operable media for providing caller information, said
      computer program product comprising software code effective
      to:

receive a message corresponding to a telephone call, wherein the message includes an initiating caller number and a call recipient number, the telephone call received over a telephone network;

retrieve the name of the initiating caller and one or more additional caller attributes corresponding to the initiating caller; and

send the additional caller attributes to a call recipient over the telephone network, the call recipient corresponding to the call recipient number.

50.   (Original) The computer program product of claim 49 wherein at least one of the additional caller attributes is selected from the group consisting of an address, billing information, service preferences, a birth date, and a social security number.

51.   (Original) The computer program product of claim 51 wherein the call recipient is adapted to display one or more of the additional caller attributes on a display.